


GP VHM - Spiralbohrer 3xD Solid carbide drill

504...



Werkzeugdaten / Tool data				Werkzeugempfehlung / Tool Recommendation		Einsatz / Capabilities	
TYP N							
				Universal			
D1 m7	D2	L2	L1	Artikel-Nr./ Article-No.			
1,00	4,00	7	45	504.010...	.00	-	
1,10	4,00	7	45	504.011...	.00	-	
1,20	4,00	7	45	504.012...	.00	-	
1,30	4,00	7	45	504.013...	.00	-	
1,40	4,00	7	45	504.014...	.00	-	
1,50	4,00	14	55	504.015...	.00	-	
1,60	4,00	14	55	504.016...	.00	-	
1,70	4,00	14	55	504.017...	.00	-	
1,80	4,00	14	55	504.018...	.00	-	
1,90	4,00	14	55	504.019...	.00	-	
2,00	4,00	20	55	504.020...	.00	-	
2,10	4,00	20	55	504.021...	.00	-	
2,20	4,00	20	55	504.022...	.00	-	
2,30	4,00	20	55	504.023...	.00	-	
2,40	4,00	20	55	504.024...	.00	-	
2,50	4,00	20	55	504.025...	.00	-	
2,60	4,00	20	55	504.026...	.00	-	
2,70	4,00	20	55	504.027...	.00	-	
2,80	4,00	20	55	504.028...	.00	-	
2,90	4,00	20	55	504.029...	.00	-	
3,00	6,00	20	62	504.030...	.00	.10	
3,10	6,00	20	62	504.031...	.00	.10	
3,20	6,00	20	62	504.032...	.00	.10	
3,25	6,00	20	62	504.325...	.00	.10	
3,30	6,00	20	62	504.033...	.00	.10	
3,40	6,00	20	62	504.034...	.00	.10	
3,50	6,00	20	62	504.035...	.00	.10	
3,60	6,00	20	62	504.036...	.00	.10	
3,70	6,00	20	62	504.037...	.00	.10	
3,80	6,00	24	66	504.038...	.00	.10	
3,90	6,00	24	66	504.039...	.00	.10	
4,00	6,00	24	66	504.040...	.00	.10	
4,10	6,00	24	66	504.041...	.00	.10	
4,20	6,00	24	66	504.042...	.00	.10	
4,30	6,00	24	66	504.043...	.00	.10	
4,40	6,00	24	66	504.044...	.00	.10	
4,50	6,00	24	66	504.045...	.00	.10	
4,60	6,00	24	66	504.046...	.00	.10	
4,65	6,00	24	66	504.465...	.00	.10	
4,70	6,00	24	66	504.047...	.00	.10	
4,80	6,00	28	66	504.048...	.00	.10	
4,90	6,00	28	66	504.049...	.00	.10	
5,00	6,00	28	66	504.050...	.00	.10	
5,10	6,00	28	66	504.051...	.00	.10	
5,20	6,00	28	66	504.052...	.00	.10	
5,30	6,00	28	66	504.053...	.00	.10	
5,40	6,00	28	66	504.054...	.00	.10	
5,50	6,00	28	66	504.055...	.00	.10	
5,55	6,00	28	66	504.555...	.00	.10	
5,60	6,00	28	66	504.056...	.00	.10	



GP VHM - Spiralbohrer 3xD Solid carbide drill

504...



Werkzeugdaten / Tool data				Werkzeugeempfehlung / Tool Recommendation		Einsatz / Capabilities				
D1 m7	D2	L2	L1	Artikel-Nr./ Article-No.						
5,70	6,00	28	66	504.057...	.00	.10				
5,80	6,00	28	66	504.058...	.00	.10				
5,90	6,00	28	66	504.059...	.00	.10				
6,00	6,00	28	66	504.060...	.00	.10				
6,10	8,00	34	79	504.061...	.00	.10				
6,20	8,00	34	79	504.062...	.00	.10				
6,30	8,00	34	79	504.063...	.00	.10				
6,40	8,00	34	79	504.064...	.00	.10				
6,50	8,00	34	79	504.065...	.00	.10				
6,60	8,00	34	79	504.066...	.00	.10				
6,70	8,00	34	79	504.067...	.00	.10				
6,80	8,00	34	79	504.068...	.00	.10				
6,90	8,00	34	79	504.069...	.00	.10				
7,00	8,00	34	79	504.070...	.00	.10				
7,10	8,00	41	79	504.071...	.00	.10				
7,20	8,00	41	79	504.072...	.00	.10				
7,30	8,00	41	79	504.073...	.00	.10				
7,40	8,00	41	79	504.074...	.00	.10				
7,50	8,00	41	79	504.075...	.00	.10				
7,60	8,00	41	79	504.076...	.00	.10				
7,70	8,00	41	79	504.077...	.00	.10				
7,80	8,00	41	79	504.078...	.00	.10				
7,90	8,00	41	79	504.079...	.00	.10				
8,00	8,00	41	79	504.080...	.00	.10				
8,10	10,00	47	89	504.081...	.00	.10				
8,20	10,00	47	89	504.082...	.00	.10				
8,30	10,00	47	89	504.083...	.00	.10				
8,40	10,00	47	89	504.084...	.00	.10				
8,50	10,00	47	89	504.085...	.00	.10				
8,60	10,00	47	89	504.086...	.00	.10				
8,70	10,00	47	89	504.087...	.00	.10				
8,80	10,00	47	89	504.088...	.00	.10				
8,90	10,00	47	89	504.089...	.00	.10				
9,00	10,00	47	89	504.090...	.00	.10				
9,10	10,00	47	89	504.091...	.00	.10				
9,20	10,00	47	89	504.092...	.00	.10				
9,30	10,00	47	89	504.093...	.00	.10				
9,40	10,00	47	89	504.094...	.00	.10				
9,50	10,00	47	89	504.095...	.00	.10				
9,60	10,00	47	89	504.096...	.00	.10				
9,70	10,00	47	89	504.097...	.00	.10				
9,80	10,00	47	89	504.098...	.00	.10				
9,90	10,00	47	89	504.099...	.00	.10				
10,00	10,00	47	89	504.100...	.00	.10				
10,10	12,00	55	102	504.101...	.00	.10				
10,20	12,00	55	102	504.102...	.00	.10				
10,30	12,00	55	102	504.103...	.00	.10				
10,40	12,00	55	102	504.104...	.00	.10				
10,50	12,00	55	102	504.105...	.00	.10				
10,60	12,00	55	102	504.106...	.00	.10				
10,70	12,00	55	102	504.107...	.00	.10				
10,80	12,00	55	102	504.108...	.00	.10				
10,90	12,00	55	102	504.109...	.00	.10				
11,00	12,00	55	102	504.110...	.00	.10				
11,10	12,00	55	102	504.111...	.00	.10				
11,20	12,00	55	102	504.112...	.00	.10				

GP VHM - Spiralbohrer 3xD Solid carbide drill

504...



Werkzeugdaten / Tool data				Werkzeugempfehlung / Tool Recommendation		Einsatz / Capabilities	
D1 m7	D2	L2	L1	Artikel-Nr./ Article-No.			
11,30	12,00	55	102	504.113...	.00	.10	
11,40	12,00	55	102	504.114...	.00	.10	
11,50	12,00	55	102	504.115...	.00	.10	
11,60	12,00	55	102	504.116...	.00	.10	
11,70	12,00	55	102	504.117...	.00	.10	
11,80	12,00	55	102	504.118...	.00	.10	
11,90	12,00	55	102	504.119...	.00	.10	
12,00	12,00	55	102	504.120...	.00	.10	
12,20	14,00	60	107	504.122...	.00	.10	
12,30	14,00	60	107	504.123...	.00	.10	
12,50	14,00	60	107	504.125...	.00	.10	
12,80	14,00	60	107	504.128...	.00	.10	
13,00	14,00	60	107	504.130...	.00	.10	
13,50	14,00	60	107	504.135...	.00	.10	
13,80	14,00	60	107	504.138...	.00	.10	
14,00	14,00	60	107	504.140...	.00	.10	
14,20	16,00	65	115	504.142...	.00	.10	
14,50	16,00	65	115	504.145...	.00	.10	
14,80	16,00	65	115	504.148...	.00	.10	
15,00	16,00	65	115	504.150...	.00	.10	
15,10	16,00	65	115	504.151...	.00	.10	
15,20	16,00	65	115	504.152...	.00	.10	
15,50	16,00	65	115	504.155...	.00	.10	
15,80	16,00	65	115	504.158...	.00	.10	
16,00	16,00	65	115	504.160...	.00	.10	
16,50	18,00	73	123	504.165...	.00	.10	
16,80	18,00	73	123	504.168...	.00	.10	
17,00	18,00	73	123	504.170...	.00	.10	
17,30	18,00	73	123	504.173...	.00	.10	
17,50	18,00	73	123	504.175...	.00	.10	
17,70	18,00	73	123	504.177...	.00	.10	
17,80	18,00	73	123	504.178...	.00	.10	
18,00	18,00	73	123	504.180...	.00	.10	
18,50	20,00	79	131	504.185...	.00	.10	
19,00	20,00	79	131	504.190...	.00	.10	
19,30	20,00	79	131	504.193...	.00	.10	
19,50	20,00	79	131	504.195...	.00	.10	
19,80	20,00	79	131	504.198...	.00	.10	
20,00	20,00	79	131	504.200...	.00	.10	

