

## HP VHM - Spiralbohrer mit Innenkühlung 8xD Solid carbide drill with internal coolant hole




708...



Werkzeugdaten / Tool data				Werkzeugempfehlung / Tool Recommendation		Einsatz / Capabilities	
D1 h7	D2 h6	L2	L1	Artikel-Nr./ Article-No.			
11,80	12,00	114	162	708.118...	.00	.10	
11,90	12,00	114	162	708.119...	.00	.10	
12,00	12,00	114	162	708.120...	.00	.10	
12,50	14,00	133	184	708.125...	.00	.10	
12,80	14,00	133	184	708.128...	.00	.10	
13,00	14,00	133	184	708.130...	.00	.10	
13,50	14,00	133	184	708.135...	.00	.10	
14,00	14,00	133	184	708.140...	.00	.10	
14,50	16,00	152	203	708.145...	.00	.10	
15,00	16,00	152	203	708.150...	.00	.10	
15,50	16,00	152	203	708.155...	.00	.10	
16,00	16,00	152	203	708.160...	.00	.10	
16,50	18,00	171	222	708.165...	.00	.10	
17,00	18,00	171	222	708.170...	.00	.10	
17,50	18,00	171	222	708.175...	.00	.10	
18,00	18,00	171	222	708.180...	.00	.10	
18,50	20,00	190	243	708.185...	.00	.10	
19,00	20,00	190	243	708.190...	.00	.10	
20,00	20,00	190	243	708.200...	.00	.10	

## HP VHM - Spiralbohrer mit Innenkühlung 12xD Solid carbide drill with internal coolant hole

710...



Werkzeugdaten / Tool data				Werkzeugempfehlung / Tool Recommendation		Einsatz / Capabilities	
D1 h7	D2 h6	L2	L1	Artikel-Nr./ Article-No.			
1,00	3,00	15	55	710.010...	.00	-	
1,10	3,00	23	55	710.011...	.00	-	
1,20	3,00	23	55	710.012...	.00	-	
1,30	3,00	23	55	710.013...	.00	-	
1,40	3,00	23	55	710.014...	.00	-	
1,50	3,00	30	65	710.015...	.00	-	
1,60	3,00	30	65	710.016...	.00	-	
1,70	3,00	30	65	710.017...	.00	-	
1,80	3,00	30	65	710.018...	.00	-	
1,90	3,00	30	65	710.019...	.00	-	
2,00	3,00	38	74	710.020...	.00	-	
2,10	3,00	38	74	710.021...	.00	-	
2,20	3,00	38	74	710.022...	.00	-	
2,30	3,00	38	74	710.023...	.00	-	
2,40	3,00	38	74	710.024...	.00	-	
2,50	3,00	44	81	710.025...	.00	-	
2,60	3,00	44	81	710.026...	.00	-	
2,70	3,00	44	81	710.027...	.00	-	
2,80	3,00	44	81	710.028...	.00	-	



## HP VHM - Spiralbohrer mit Innenkühlung 12xD Solid carbide drill with internal coolant hole

710...



Werkzeugdaten / Tool data				Werkzeugempfehlung / Tool Recommendation			Einsatz / Capabilities	
D1 h7	D2 h6	L2	L1	Artikel-Nr./ Article-No.				
2,90	3,00	44	81	710.029...	.00	-		
3,00	6,00	54	92	710.030...	.00	.10		
3,10	6,00	54	92	710.031...	.00	.10		
3,20	6,00	54	92	710.032...	.00	.10		
3,30	6,00	54	92	710.033...	.00	.10		
3,40	6,00	54	92	710.034...	.00	.10		
3,50	6,00	54	92	710.035...	.00	.10		
3,60	6,00	54	92	710.036...	.00	.10		
3,70	6,00	54	92	710.037...	.00	.10		
3,80	6,00	64	102	710.038...	.00	.10		
3,90	6,00	64	102	710.039...	.00	.10		
4,00	6,00	64	102	710.040...	.00	.10		
4,10	6,00	64	102	710.041...	.00	.10		
4,20	6,00	64	102	710.042...	.00	.10		
4,30	6,00	64	102	710.043...	.00	.10		
4,40	6,00	64	102	710.044...	.00	.10		
4,50	6,00	64	102	710.045...	.00	.10		
4,60	6,00	64	102	710.046...	.00	.10		
4,70	6,00	64	102	710.047...	.00	.10		
4,80	6,00	78	118	710.048...	.00	.10		
4,90	6,00	78	118	710.049...	.00	.10		
5,00	6,00	78	118	710.050...	.00	.10		
5,10	6,00	78	118	710.051...	.00	.10		
5,20	6,00	78	118	710.052...	.00	.10		
5,30	6,00	78	118	710.053...	.00	.10		
5,40	6,00	78	118	710.054...	.00	.10		
5,50	6,00	78	118	710.055...	.00	.10		
5,60	6,00	78	118	710.056...	.00	.10		
5,70	6,00	78	118	710.057...	.00	.10		
5,80	6,00	78	118	710.058...	.00	.10		
5,90	6,00	78	118	710.059...	.00	.10		
6,00	6,00	78	118	710.060...	.00	.10		
6,10	8,00	108	146	710.061...	.00	.10		
6,20	8,00	108	146	710.062...	.00	.10		
6,30	8,00	108	146	710.063...	.00	.10		
6,40	8,00	108	146	710.064...	.00	.10		
6,50	8,00	108	146	710.065...	.00	.10		
6,60	8,00	108	146	710.066...	.00	.10		
6,70	8,00	108	146	710.067...	.00	.10		
6,80	8,00	108	146	710.068...	.00	.10		
6,90	8,00	108	146	710.069...	.00	.10		
7,00	8,00	108	146	710.070...	.00	.10		
7,10	8,00	108	146	710.071...	.00	.10		
7,20	8,00	108	146	710.072...	.00	.10		
7,30	8,00	108	146	710.073...	.00	.10		
7,40	8,00	108	146	710.074...	.00	.10		
7,50	8,00	108	146	710.075...	.00	.10		
7,60	8,00	108	146	710.076...	.00	.10		
7,70	8,00	108	146	710.077...	.00	.10		
7,80	8,00	108	146	710.078...	.00	.10		
7,90	8,00	108	146	710.079...	.00	.10		
8,00	8,00	108	146	710.080...	.00	.10		
8,10	10,00	120	162	710.081...	.00	.10		
8,20	10,00	120	162	710.082...	.00	.10		
8,30	10,00	120	162	710.083...	.00	.10		
8,40	10,00	120	162	710.084...	.00	.10		
8,50	10,00	120	162	710.085...	.00	.10		
8,60	10,00	120	162	710.086...	.00	.10		

## HP VHM - Spiralbohrer mit Innenkühlung 12xD Solid carbide drill with internal coolant hole

710...



Werkzeugdaten / Tool data				Werkzeugempfehlung / Tool Recommendation		Einsatz / Capabilities	
TYP N							
D1 h7	D2 h6	L2	L1	Artikel-Nr./ Article-No.			
8,70	10,00	120	162	710.087...	.00	.10	
8,80	10,00	120	162	710.088...	.00	.10	
8,90	10,00	120	162	710.089...	.00	.10	
9,00	10,00	120	162	710.090...	.00	.10	
9,10	10,00	120	162	710.091...	.00	.10	
9,20	10,00	120	162	710.092...	.00	.10	
9,30	10,00	120	162	710.093...	.00	.10	
9,40	10,00	120	162	710.094...	.00	.10	
9,50	10,00	120	162	710.095...	.00	.10	
9,60	10,00	120	162	710.096...	.00	.10	
9,70	10,00	120	162	710.097...	.00	.10	
9,80	10,00	120	162	710.098...	.00	.10	
9,90	10,00	120	162	710.099...	.00	.10	
10,00	10,00	120	162	710.100...	.00	.10	
10,10	12,00	156	204	710.101...	.00	.10	
10,20	12,00	156	204	710.102...	.00	.10	
10,30	12,00	156	204	710.103...	.00	.10	
10,40	12,00	156	204	710.104...	.00	.10	
10,50	12,00	156	204	710.105...	.00	.10	
10,60	12,00	156	204	710.106...	.00	.10	
10,70	12,00	156	204	710.107...	.00	.10	
10,80	12,00	156	204	710.108...	.00	.10	
10,90	12,00	156	204	710.109...	.00	.10	
11,00	12,00	156	204	710.110...	.00	.10	
11,10	12,00	156	204	710.111...	.00	.10	
11,20	12,00	156	204	710.112...	.00	.10	
11,30	12,00	156	204	710.113...	.00	.10	
11,40	12,00	156	204	710.114...	.00	.10	
11,50	12,00	156	204	710.115...	.00	.10	
11,60	12,00	156	204	710.116...	.00	.10	
11,70	12,00	156	204	710.117...	.00	.10	
11,80	12,00	156	204	710.118...	.00	.10	
11,90	12,00	156	204	710.119...	.00	.10	
12,00	12,00	156	204	710.120...	.00	.10	
12,50	14,00	182	230	710.125...	.00	.10	
12,80	14,00	182	230	710.128...	.00	.10	
13,00	14,00	182	230	710.130...	.00	.10	
13,50	14,00	182	230	710.135...	.00	.10	
13,80	14,00	182	230	710.138...	.00	.10	
14,00	14,00	182	230	710.140...	.00	.10	
14,50	16,00	208	260	710.145...	.00	.10	
14,80	16,00	208	260	710.148...	.00	.10	
15,00	16,00	208	260	710.150...	.00	.10	
15,50	16,00	208	260	710.155...	.00	.10	
15,80	16,00	208	260	710.158...	.00	.10	
16,00	16,00	208	260	710.160...	.00	.10	
16,50	18,00	234	285	710.165...	.00	.10	
16,80	18,00	234	285	710.168...	.00	.10	
17,00	18,00	234	285	710.170...	.00	.10	
17,50	18,00	234	285	710.175...	.00	.10	
17,80	18,00	234	285	710.178...	.00	.10	
18,00	18,00	234	285	710.180...	.00	.10	
18,50	20,00	258	310	710.185...	.00	.10	
18,80	20,00	258	310	710.188...	.00	.10	
19,00	20,00	258	310	710.190...	.00	.10	
19,50	20,00	258	310	710.195...	.00	.10	
19,80	20,00	258	310	710.198...	.00	.10	
20,00	20,00	258	310	710.200...	.00	.10	

